

CIRCUIT	CONDUIT	CABLE	CABLE INFORMATION	
A	₹" ST	Cat 6	Owner Provided, Contractor Installed	
В	1" ST	2-3 #18 Wire Shielded	Belden 1036A Triad	
С	½" Flex	4 wire	Attached to sensor	

Notes:

- 1. Owner to supply metering box prewired with outlet, gateway, and power supply. Box installed by contractor.
- 2. Metering box shall not be installed higher than 7 feet from floor to top of box.
- 3. Unless otherwise indicated, all cables and wires installed by contractor. No cable splices allowed. Wires terminated by owner.
- 4. Owner will provide Blue, Cat 6 cable for installation by contractor. Cable pulled in from source to end device in a dedicated conduit with no other wiring. Conduit path shall not contain any "LB's" or bend radius less than 2 inches. Total cable length shall be less than 290 feet.
- 5. Do not share conduit paths with other wiring other than shown.
- 6. Leave 12" extra wiring at each end for owner termination.
- 7. 120V feed shall be 15A dedicated circuit from panel.

REV	DATE	Mator Motor Wiring		
1	10/29/15	Water Meter Wiring		
2	9/1/2016	Diagram		
3	12/6/2017	999		
4	5/1/2019	Energy Management		DRAWING NOT TO SCALE
DRAWN BY:		Campus Facilities		
CHECKED BY:		UNIVERSITY OF MISSOURI		DATE: 4/9/14